

L Number	Hits	Search Text	DB	Time stamp
-	1334	((design\$3 or model\$3 or simulat\$3) same automat\$6) and (finite with (machine or model\$3))	USPAT; EPO; JPO; DERWENT	2003/03/07 10:25
-	5599	((design\$3 or model\$3 or simulat\$3) same automat\$6) and finite	USPAT; EPO; JPO; DERWENT	2003/03/11 08:37
-	2201	(stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (((design\$3 or model\$3 or simulat\$3) same automat\$6) and finite)	USPAT; EPO; JPO; DERWENT	2003/03/11 08:38
-	255	(acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (((design\$3 or model\$3 or simulat\$3) same automat\$6) and finite)	USPAT; EPO; JPO; DERWENT	2003/03/11 08:43
-	188) (thermal or temperature) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (((design\$3 or model\$3 or simulat\$3) same automat\$6) and finite)	USPAT; EPO; JPO; DERWENT	2003/03/11 08:43
-	30)) ((fatigue with life) or lifetime) and ((thermal or temperature) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (((design\$3 or model\$3 or simulat\$3) same automat\$6) and finite)	USPAT; EPO; JPO; DERWENT	2003/03/11 08:44
-	13))) ((three near2 dimension\$2) or three-dimension\$2 or 3-dimension\$2) and (((fatigue with life) or lifetime) and ((thermal or temperature) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (((design\$3 or model\$3 or simulat\$3) same automat\$6) and finite)	USPAT; EPO; JPO; DERWENT	2003/03/11 08:46
-	13)))) (manufactur\$3 or industrial or production) and (((three near2 dimension\$2) or three-dimension\$2 or 3-dimension\$2) and (((fatigue with life) or lifetime) and ((thermal or temperature) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (((design\$3 or model\$3 or simulat\$3) same automat\$6) and finite)	USPAT; EPO; JPO; DERWENT	2003/03/11 08:47
))))		

-	13	((tatio or rate or proportion or coefficient) and ((manufactur\$3 or industrial or production) and (((three near2 dimension\$2) or three-dimension\$2 or 3-dimension\$2) and (((fatigue with life) or lifetime) and ((thermal or temperature) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (((design\$3 or model\$3 or simulat\$3) same automat\$6) and finite))))))))	USPAT; EPO; JPO; DERWENT	2003/03/11 08:48
-	0	((shak\$3 or vibration) near4 table) and ((tatio or rate or proportion or coefficient) and ((manufactur\$3 or industrial or production) and (((three near2 dimension\$2) or three-dimension\$2 or 3-dimension\$2) and (((fatigue with life) or lifetime) and ((thermal or temperature) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (((design\$3 or model\$3 or simulat\$3) same automat\$6) and finite))))))))	USPAT; EPO; JPO; DERWENT	2003/03/11 08:48
-	12	client and server and ((tatio or rate or proportion or coefficient) and ((manufactur\$3 or industrial or production) and (((three near2 dimension\$2) or three-dimension\$2 or 3-dimension\$2) and (((fatigue with life) or lifetime) and ((thermal or temperature) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (((design\$3 or model\$3 or simulat\$3) same automat\$6) and finite))))))))	USPAT; EPO; JPO; DERWENT	2003/03/11 08:49
-	399	((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (((design\$3 or model\$3 or simulat\$3) same automat\$6) and (finite with (machine or model\$3)))	USPAT; EPO; JPO; DERWENT	2003/03/07 13:16
-	62	(acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (((design\$3 or model\$3 or simulat\$3) same automat\$6) and (finite with (machine or model\$3)))	USPAT; EPO; JPO; DERWENT	2003/03/07 12:04
-	57	(thermal or temperature) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (((design\$3 or model\$3 or simulat\$3) same automat\$6) and (finite with (machine or model\$3)))	USPAT; EPO; JPO; DERWENT	2003/03/07 12:04
))		

-	0	((three near2 dimension\$2) or three-dimension\$2 or 3-dimension\$2) and (((fatigue with life) or lifetime) and	USPAT; EPO; JPO; DERWENT	2003/03/07 12:05
-	10	((thermal or temperature) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (((design\$3 or model\$3 or simulat\$3) same automat\$6) and (finite with (machine or model\$3))))	USPAT; EPO; JPO; DERWENT	2003/03/07 15:40
-	10))) (manufactur\$3 or industrial or production) and (((three near2 dimension\$2) or three-dimension\$2 or 3-dimension\$2) and ((thermal or temperature) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (((design\$3 or model\$3 or simulat\$3) same automat\$6) and (finite with (machine or model\$3))))	USPAT; EPO; JPO; DERWENT	2003/03/07 12:06
-	10))) (ratio or rate or proportion or coefficient) and ((manufactur\$3 or industrial or production) and (((three near2 dimension\$2) or three-dimension\$2 or 3-dimension\$2) and ((thermal or temperature) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (((design\$3 or model\$3 or simulat\$3) same automat\$6) and (finite with (machine or model\$3))))	USPAT; EPO; JPO; DERWENT	2003/03/07 15:44
-	0)))) ((shak\$3 or vibration) near4 table) and ((ratio or rate or proportion or coefficient) and ((manufactur\$3 or industrial or production) and (((three near2 dimension\$2) or three-dimension\$2 or 3-dimension\$2) and ((thermal or temperature) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (((design\$3 or model\$3 or simulat\$3) same automat\$6) and (finite with (machine or model\$3))))	USPAT; EPO; JPO; DERWENT	2003/03/07 12:07
-))))))		

-	5	((fatigue with life) or lifetime) and ((thermal or temperature) and ((acoustic\$2_or_sound_or_sonic) and (vibrat\$3 or shak\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (((design\$3 or model\$3 or simulat\$3) same automat\$6) and (finite with (machine or model\$3))))	USPAT; EPO; JPO; DERWENT	2003/03/07 12:08
-	4	client and server and ((ratio or rate or proportion or coefficient) and ((manufactur\$3 or industrial or production) and (((three near2 dimension\$2) or three-dimension\$2 or 3-dimension\$2) and ((thermal or temperature) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (((design\$3 or model\$3 or simulat\$3) same automat\$6) and (finite with (machine or model\$3))))	USPAT; EPO; JPO; DERWENT	2003/03/07 12:45
-	3)))))) "6295513"	USPAT; EPO; JPO; DERWENT	2003/03/07 13:37
-	1	finite and "6295513"	USPAT; EPO; JPO; DERWENT	2003/03/07 12:51
-	0	("finite and 24").PN.	USPAT; EPO; JPO; DERWENT	2003/03/07 12:52
-	1	(acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (((("6351734") or ("6295513") or ("5980084") or ("5969973") or ("5422833") or ("5251159") or ("3074181") or ("2796683"))).PN.)	USPAT; EPO; JPO; DERWENT	2003/03/07 13:44
-	3) (stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (((("6351734") or ("6295513") or ("5980084") or ("5969973") or ("5422833") or ("5251159") or ("3074181") or ("2796683"))).PN.)	USPAT; EPO; JPO; DERWENT	2003/03/07 13:37
-	16	((("6351734") or ("6295513") or ("5980084") or ("5969973") or ("5422833") or ("5251159") or ("3074181") or ("2796683"))).PN.	USPAT; EPO; JPO; DERWENT	2003/03/07 13:35
-	1	"6516451"	USPAT; EPO; JPO; DERWENT	2003/03/07 13:35
-	32	((("5940082") or ("5862223") or ("5848427") or ("5844553") or ("5838906") or ("5815683") or ("5802502") or ("5794207") or ("5761661") or ("5715402") or ("5664115") or ("5644493") or ("5444844") or ("5321841") or ("5278751") or ("4964043"))).PN.	USPAT; EPO; JPO; DERWENT	2003/03/07 13:37

-	2	(stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (((("5940082") or ("5862223") or ("5848427") or ("5844553") or ("5838906") or ("5815683") or ("5802502") or ("5794207") or ("5761661") or ("5715402") or ("5664115") or ("5644493") or ("5444844") or ("5321841") or ("5278751") or ("4964043"))).PN.)	USPAT; EPO; JPO; DERWENT	2003/03/07 13:37
-	0	(acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and (((("5940082") or ("5862223") or ("5848427") or ("5844553") or ("5838906") or ("5815683") or ("5802502") or ("5794207") or ("5761661") or ("5715402") or ("5664115") or ("5644493") or ("5444844") or ("5321841") or ("5278751") or ("4964043"))).PN.)	USPAT; EPO; JPO; DERWENT	2003/03/07 13:45
-	4	(acoustic\$2 or sound or sonic) and (((("5940082") or ("5862223") or ("5848427") or ("5844553") or ("5838906") or ("5815683") or ("5802502") or ("5794207") or ("5761661") or ("5715402") or ("5664115") or ("5644493") or ("5444844") or ("5321841") or ("5278751") or ("4964043"))).PN.)	USPAT; EPO; JPO; DERWENT	2003/03/07 13:45
-	233845	(stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (design\$3 or model\$3 or simulat\$3) and automat\$6	USPAT; EPO; JPO; DERWENT	2003/03/07 13:56
-	7236	(acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (design\$3 or model\$3 or simulat\$3) and automat\$6	USPAT; EPO; JPO; DERWENT	2003/03/07 14:09
-	7140) (test\$3 or analy\$5 or exam\$6 or prob\$3 or inspect\$3 or evaluat\$3 or simulat\$3) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (design\$3 or model\$3 or simulat\$3) and automat\$6	USPAT; EPO; JPO; DERWENT	2003/03/11 08:40
-	542)) ((fatigue with life) or lifetime) and ((test\$3 or analy\$5 or exam\$6 or prob\$3 or inspect\$3 or evaluat\$3 or simulat\$3) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (design\$3 or model\$3 or simulat\$3) and automat\$6	USPAT; EPO; JPO; DERWENT	2003/03/07 15:37
-	147))) ((three near2 dimension\$2) or three-dimension\$2 or 3-dimension\$2) and (((fatigue with life) or lifetime) and ((test\$3 or analy\$5 or exam\$6 or prob\$3 or inspect\$3 or evaluat\$3 or simulat\$3) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (design\$3 or model\$3 or simulat\$3) and automat\$6	USPAT; EPO; JPO; DERWENT	2003/03/07 15:41
))))		

-	137	(manufactur\$3 or industrial or production) and (((three near2 dimension\$2) or three-dimension\$2 or 3-dimension\$2) and (((fatigue with life) or lifetime) and ((test\$3 or analy\$5 or exam\$6 or prob\$3 or inspect\$3 or evaluat\$3 or simulat\$3) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (design\$3 or model\$3 or simulat\$3) and automat\$6))))))	USPAT; EPO; JPO; DERWENT	2003/03/07 15:43
-	137	(ratio or rate or proportion or coefficient) and ((manufactur\$3 or industrial or production) and (((three near2 dimension\$2) or three-dimension\$2 or 3-dimension\$2) and (((fatigue with life) or lifetime) and ((test\$3 or analy\$5 or exam\$6 or prob\$3 or inspect\$3 or evaluat\$3 or simulat\$3) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (design\$3 or model\$3 or simulat\$3) and automat\$6))))))	USPAT; EPO; JPO; DERWENT	2003/03/07 15:44
-	3	((shak\$3 or vibration) near4 table) and ((ratio or rate or proportion or coefficient) and ((manufactur\$3 or industrial or production) and (((three near2 dimension\$2) or three-dimension\$2 or 3-dimension\$2) and (((fatigue with life) or lifetime) and ((test\$3 or analy\$5 or exam\$6 or prob\$3 or inspect\$3 or evaluat\$3 or simulat\$3) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (design\$3 or model\$3 or simulat\$3) and automat\$6))))))	USPAT; EPO; JPO; DERWENT	2003/03/07 15:45
-	126	((thermal or temperature) and ((ratio or rate or proportion or coefficient) and ((manufactur\$3 or industrial or production) and (((three near2 dimension\$2) or three-dimension\$2 or 3-dimension\$2) and (((fatigue with life) or lifetime) and ((test\$3 or analy\$5 or exam\$6 or prob\$3 or inspect\$3 or evaluat\$3 or simulat\$3) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (design\$3 or model\$3 or simulat\$3) and automat\$6))))))	USPAT; EPO; JPO; DERWENT	2003/03/07 16:15

-	63	(server or host) and (client or terminal) and ((thermal or temperature) and ((ratio or rate or proportion or coefficient) and ((manufactur\$3 or industrial or production) and (((three near2 dimension\$2) or three-dimension\$2 or 3-dimension\$2) and (((fatigue with life) or lifetime) and ((test\$3 or analy\$5 or exam\$6 or prob\$3 or inspect\$3 or evaluat\$3 or simulat\$3) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (design\$3 or model\$3 or simulat\$3) and automat\$6	USPAT; EPO; JPO; DERWENT	2003/03/11 08:49
-	61))))))))) (maximum or max) and ((server or host) and (client or terminal) and ((thermal or temperature) and ((ratio or rate or proportion or coefficient) and ((manufactur\$3 or industrial or production) and (((three near2 dimension\$2) or three-dimension\$2 or 3-dimension\$2) and (((fatigue with life) or lifetime) and ((test\$3 or analy\$5 or exam\$6 or prob\$3 or inspect\$3 or evaluat\$3 or simulat\$3) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (design\$3 or model\$3 or simulat\$3) and automat\$6	USPAT; EPO; JPO; DERWENT	2003/03/07 16:47
-	2))))))))) ((maximum or max) with response) and ((server or host) and (client or terminal) and ((thermal or temperature) and ((ratio or rate or proportion or coefficient) and ((manufactur\$3 or industrial or production) and (((three near2 dimension\$2) or three-dimension\$2 or 3-dimension\$2) and (((fatigue with life) or lifetime) and ((test\$3 or analy\$5 or exam\$6 or prob\$3 or inspect\$3 or evaluat\$3 or simulat\$3) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (design\$3 or model\$3 or simulat\$3) and automat\$6	USPAT; EPO; JPO; DERWENT	2003/03/10 08:11
-	22))))))))) ((maximum or max) with (response or output)) and ((server or host) and (client or terminal) and ((thermal or temperature) and ((ratio or rate or proportion or coefficient) and ((manufactur\$3 or industrial or production) and (((three near2 dimension\$2) or three-dimension\$2 or 3-dimension\$2) and (((fatigue with life) or lifetime) and ((test\$3 or analy\$5 or exam\$6 or prob\$3 or inspect\$3 or evaluat\$3 or simulat\$3) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and (design\$3 or model\$3 or simulat\$3) and automat\$6	USPAT; EPO; JPO; DERWENT	2003/03/07 16:51
)))))))))		

-	55712	(stress\$3 or pressur\$3 or strain\$3 or tension\$3) and ((design\$3 or model\$3 or simulat\$3) same automat\$6)	USPAT; EPO; JPO; DERWENT	2003/03/11 08:40
-	37176	(test\$3 or analy\$5 or exame or examination or prob\$3 or inspect\$3 or evaluat\$3 or simulat\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and ((design\$3 or model\$3 or simulat\$3) same automat\$6))	USPAT; EPO; JPO; DERWENT	2003/03/11 08:42
-	1659	(acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((test\$3 or analy\$5 or exame or examination or prob\$3 or inspect\$3 or evaluat\$3 or simulat\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and ((design\$3 or model\$3 or simulat\$3) same automat\$6)))	USPAT; EPO; JPO; DERWENT	2003/03/11 10:17
-	1090	(thermal or temperature) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((test\$3 or analy\$5 or exame or examination or prob\$3 or inspect\$3 or evaluat\$3 or simulat\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and ((design\$3 or model\$3 or simulat\$3) same automat\$6))))	USPAT; EPO; JPO; DERWENT	2003/03/11 08:44
-	118	((fatigue with life) or lifetime) and ((thermal or temperature) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((test\$3 or analy\$5 or exame or examination or prob\$3 or inspect\$3 or evaluat\$3 or simulat\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and ((design\$3 or model\$3 or simulat\$3) same automat\$6))))	USPAT; EPO; JPO; DERWENT	2003/03/11 08:44
-	60	((three near2 dimension\$2) or three-dimension\$2 or 3-dimension\$2) and (((fatigue with life) or lifetime) and ((thermal or temperature) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((test\$3 or analy\$5 or exame or examination or prob\$3 or inspect\$3 or evaluat\$3 or simulat\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and ((design\$3 or model\$3 or simulat\$3) same automat\$6))))))	USPAT; EPO; JPO; DERWENT	2003/03/11 08:46
-	56	(manufactur\$3 or industrial or production) and (((three near2 dimension\$2) or three-dimension\$2 or 3-dimension\$2) and (((fatigue with life) or lifetime) and ((thermal or temperature) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((test\$3 or analy\$5 or exame or examination or prob\$3 or inspect\$3 or evaluat\$3 or simulat\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and ((design\$3 or model\$3 or simulat\$3) same automat\$6))))))	USPAT; EPO; JPO; DERWENT	2003/03/11 08:47
-	53	(tatio or rate or proportion or coefficient) and ((manufactur\$3 or industrial or production) and (((three near2 dimension\$2) or three-dimension\$2 or 3-dimension\$2) and (((fatigue with life) or lifetime) and ((thermal or temperature) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((test\$3 or analy\$5 or exame or examination or prob\$3 or inspect\$3 or evaluat\$3 or simulat\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and ((design\$3 or model\$3 or simulat\$3) same automat\$6))))))	USPAT; EPO; JPO; DERWENT	2003/03/11 08:48

-	1	(server or host) and (client or terminal) and (((shak\$3 or vibration) near4 table) and -((tatio or rate or proportion or coefficient) and ((manufactur\$3 or industrial or production) and (((three near2 dimension\$2) or three-dimension\$2 or 3-dimension\$2) and (((fatigue with life) or lifetime) and ((thermal or temperature) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((test\$3 or analy\$5 or exame or examination or prob\$3 or inspect\$3 or evaluat\$3 or simulat\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and ((design\$3 or model\$3 or simulat\$3) same automat\$6))))))))))	USPAT; EPO; JPO; DERWENT	2003/03/11 08:50
-	3	((shak\$3 or vibration) near4 table) and ((tatio or rate or proportion or coefficient) and ((manufactur\$3 or industrial or production) and (((three near2 dimension\$2) or three-dimension\$2 or 3-dimension\$2) and (((fatigue with life) or lifetime) and ((thermal or temperature) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((test\$3 or analy\$5 or exame or examination or prob\$3 or inspect\$3 or evaluat\$3 or simulat\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and ((design\$3 or model\$3 or simulat\$3) same automat\$6))))))))))	USPAT; EPO; JPO; DERWENT	2003/03/11 09:03
-	25	chamber and ((tatio or rate or proportion or coefficient) and ((manufactur\$3 or industrial or production) and (((three near2 dimension\$2) or three-dimension\$2 or 3-dimension\$2) and (((fatigue with life) or lifetime) and ((thermal or temperature) and ((acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and ((test\$3 or analy\$5 or exame or examination or prob\$3 or inspect\$3 or evaluat\$3 or simulat\$3) and ((stress\$3 or pressur\$3 or strain\$3 or tension\$3) and ((design\$3 or model\$3 or simulat\$3) same automat\$6))))))))))	USPAT; EPO; JPO; DERWENT	2003/03/11 09:41
-	43	"4480480"	USPAT; EPO; JPO; DERWENT	2003/03/11 09:33
-	4	finite and "4480480"	USPAT; EPO; JPO; DERWENT	2003/03/11 09:33
-	4	chamber and "4480480"	USPAT; EPO; JPO; DERWENT	2003/03/11 10:03
-	0	((board or panel) same (printed with wir\$3)) and "4480480"	USPAT; EPO; JPO; DERWENT	2003/03/11 10:06
-	0	(printed with wir\$3) and "4480480"	USPAT; EPO; JPO; DERWENT	2003/03/11 10:06
-	16	(board or panel) and "4480480"	USPAT; EPO; JPO; DERWENT	2003/03/11 10:06
-	7	(acoustic\$2 or sound or sonic) and (vibrat\$3 or shak\$3) and "4480480"	USPAT; EPO; JPO; DERWENT	2003/03/11 10:17